


People work effectively and successfully if their environment matches their work culture and supports it. And that's our specialist field!

As one of the leading providers of office furniture, seating and room systems, we develop integrated solutions for individual work cultures.

Dialogue or concentration, team or single workstation: **BASIC.4, JET.II** and **VALYOU** are fuss-free partners for a whole range of work scenarios. Reduced to the essentials and pleasantly understated in design, these products are true everyday heroes – without all the hype. See for yourself!






















Acoustic screens ensure that your employees can concentrate fully – even at team workstations.

AND OUR FURNITURE HELPS THIS HAPPEN!

Many workplace success stories start in a team – as a result of interaction between a variety of skills and characters. It's a smart idea to allow scope for them all! You might assume it's not that easy in an open office environment? You probably think it's either teamwork or concentration? **BASIC.4** and **JET.II** give you the perfect basis to ensure that both can be a success.









storage facility for temporary workstations.





BASIC.4 bench system, VALYOU, ACTA.PLUS lockers and wardrobe, pedestals, NET.WORK.PLACE elements, INSIDE.50 counter, PUBLICA bar stools

Furnishing is straightforward – be ready for anything a day at the office might throw at you

BASIC.4 JET.II VALYOU

TRUE EVERYDAY HEROES - WITHOUT ALL THE HYPE

JET.II, BASIC.4 AND VALYOU

JET.II

- + Individual weight setting from 45 to 120 kg
- + 2 mechanisms for any requirements
- + 2 seat upholstery options hard or soft
- + 4 backrest variants with or without lumbar support
- + 6 armrests with different functions and designs
- + Backrest height adjustable through 60 mm





- + Modular, functional workstation system
- + Tool-free height adjustment via screw / Allen key
- + 2 leg frame variants square tube and round tube
- + Adapters for extras such as desk screens and accessories
- + Diverse extensions and add-ons

VALYOU

- + Weight setting from 45 to 130 kg
- + Ergonomically correct sitting thanks to the Synchromat automatic adjustment to the body weight
- + Fine adjustment to weight setting and seat height
- + Ready to use or partially assembled supplied in a transport box



ROUND LEG

SINGLE DESK OR BENCH -BASIC.4 GROWS

WITH YOUR REQUIREMENTS



FLYBY SCREEN

DESK SCREENAlso available with tool rail which fits on the adapter

CPU BRACKET METAL

Can be fitted inside or

Fully flexible with tool rail, pinboard function or acoustic option (fitted behind desk)

DETAILS

1 | SHADOW GAP

Premium look thanks to square tube mitre-cut frame – available with 13 mm or 25 mm worktop.

2 I FRAME TYPES

Square tube or round tube available with 13 mm or 25 mm worktop.



3 | TOOL-FREE ASSEMBLY


Worktop attaches with clips so it can be lifted off easily without tools.



Can be mounted on the inside or outside of the frame as required.







6 | FIXED HEIGHT

720 mm for leg frame without height adjustment.

7 I INCREMENTAL HEIGHT ADJUSTMENT

Spring-assisted height-adjustment from 650 to 850 mm.

8 I INFINITELY VARIABLE HEIGHT ADJUSTMENT

Integral screw thread allows infinitely variable adjustment – round tube frame 680 to 760 mm, square frame 680 to 820 mm.

















9 | ADAPTER Allows a variety of screens and socket variants to be attached.

5 | BOLTED FRAMES

Sturdy and simple to assemble, reconfigure and transport.

DETAILS

10 | DESK SCREEN WITH RAIL


For attaching flatscreens.

11 | RAIL ON BOTH SIDES

Can be used for organiser elements or flatscreen holders – with intelligent cable management.

12 | MODESTY PANEL

For visual screening of the area below the desk, perforated pattern – retrofittable.





12



13 | FABRIC-COVERED DESK SCREEN

Available in various colours and with aluminium tool rail.

14 | CABLE COVER


Easy push-to-open feature with socket mounting strip including four-gang socket.



DETAILS DOUBLE BENCH DESK TOP


15 | BRUSH SEAL

Allows cables to be concealed and positioned exactly where needed.




16 | BRUSH SEAL WITH RECESS

For precise positioning of a large number of cables.



17 | OPEN SLIDING TOP

Easy access to the central cable tray and electrics.



POSSIBLE COMBINATIONS

3-seater workstation

with visual screening for focused working (leg frame: square tube with floating desk top)





Bench system for meetings

with header top and mobile screens (leg frame: square tube, mitre-cut, with floating desk top)

Bench system for temporary working

with header top for meetings, centre screens and clip-on panels plus shortened central leg frame (leg frame: square tube)



SURFACE FINISHES

DESK TOP SURFACES

FRAME COLOURS

VENEER TEXTURED MFC **POWDER-**FINISH **SOLID COLOUR WOOD EFFECT COATED METAL GK** Grey AA Acacia AH Canadian maple AL Aluminium coloured unstained **BH** Beech unstained **GW** Off-white AO Maple AM Anthracite metallic **CK** American GC Chrome ET Oak natural KH Light grey cherry **KT** Aluminium MB Beech EN Oak natural coloured **GW** Off-white **UM** Melange **NM** Walnut SN American walnut natural KH Light grey **UL** Elm WI Pure white KS Black RAL 9011 WI Pure white

PRODUCT OVERVIEW

Legs/Frame		Single workstation	Bench
Square tube	With loosely laid desk top	•	
	With floating desk top	-	
	With floating desk top and mitre cut		
Round tube	With loosely laid desk top	•	-
Dimensions single workstation			
Widths	800 mm, 1000 mm, 1200 mm, 1600 mm, 1800 mm, 2000 mm		
Depths	600 mm, 800 mm, 900 mm, 1000 mm	•	-
Dimensions bench			
Widths	1200 mm, 1400 mm, 1600 mm, 1800 mm, 2000 mm	-	
Depths	Single bench 800 mm, double bench 1600 mm	-	
Height adjustment			
Fixed	720 mm with 13 mm top		-
	732 mm with 25 mm top		
Increments	Adjustable in 20 mm increments between 650 mm and 850 mm with Allen key supplied		-
Infinitely variable	From 680 to 760 mm by rotating the foot of the round leg, from 680 to 820 mm for the square leg	■,	
Worktop			
Chipboard	13 mm or 25 mm thick MFC panel, removable without tools		-
	25 mm thick MFC panel, removable without tools	-	
Veneer	25 mm thick veneered panel, removable without tools	•	-
Electrics			
Horizontal	Cable tray or cable clip		
Vertical	Umbilical		
Cut-outs	Cut-outs can be equipped with adapters to support "third level" accessories		-
Sliding top		•	
Accessories			
3rd level	Adapters		
At sides	CPU holder, printer tray		
Below the top	Modesty panel		-
Configurations	Various link modules such as desk extensions (not for mitre-cut base frame)		
Desk screens	Rail, aluminium organiser panel, INSIDE.25, INSIDE.50, fabric cover, felt screen, TWS		_
	Rail, INSIDE.25, fabric cover, felt screen	-	
Options			
Brush seal			
Cable management recess		-	

[■] Standard □ Optional

















JET.II



DETAILS

1 | MESH LUMBAR SUPPORT

Adjustable support for the lumbar region.

2 | UPHOLSTERED LUMBAR SUPPORT

Integral part of the back upholstery and infinitely adjustable.









4 | I-SEATING® MECHANISM

Intuitive sitting thanks to automatic weight setting - ideal for temporary workstations.





5 | STARBASE TYPES

Black plastic or die-cast aluminium in lacquered, polished or chrome finish.



ANTI-STATIC MODEL
With special upholstery,
castors, starbase chrome or
aluminium polished and
with conductive properties.

7 | FULLY-UPHOLSTERED




24 | **25**


ENDLESS OPTIONS

JET.II is individually configurable, boasting numerous design variants for posture, back/armrests, as well as a selection of fabric qualities.

The ERGONOMIE PLUS option features premium outfitting – with synchro mechanism, 4D Plus multifunctional armrests and 100 mm seat depth adjustment to bring it into line with the NPR directive.



MECHANISMS FOR HEALTHY, DYNAMIC SITTING



SYNCHRO MECHANISM

The seat and backrest move in tandem with the body in a ratio of 1:2.5.
The counter-pressure can be adjusted individually.



I-SEATING® MECHANISM

The user's weight is detected and automatically transferred to the backrest in the form of counter-pressure without the need for further manual adjustment – the sitting position is intuitively correct, which means that the chair can be used by different people in rapid succession.



COMPREHENSIVE FABRIC COLLECTIONDiscover more than 150 colours, qualities and structures!

JET.II PRODUCT OVERVIEW





Technology	Task chair		Task chair / Counter chair	Task chair	Counte chair
Mechanism	i-seating® mechanism		Synchro mechanism		
Opening angle	25° (when in use)		27° (when in use)	•	
Synchro ratio	1:6.9		1:2.5	•	•
Weight adjustment	Automatically adjusts to the bodyweight of the user (max. 120 kg)	•	45–120 kg	•	•
Seat height adjustment	410-550 mm		410-550 mm / 650-850 mm	•	-
Seat depth adjustment	70 mm		70 mm		
Extra seat depth adjustment	100 mm		100 mm		-
Forward tilt adjustment	No forward tilt adjustment		-3° to +3°		
Backrest lock	5 positions		5 positions	•	
Seat upholstery	Foam			•	
Integral shock absorption	Standard			•	
Backrest					
	With plastic shell (height-adjustable) Fully-upholstered (height-adjustable)			:	
	Mesh fabric back (height-adjustable)			•	
	3D fabric back (height-adjustable)			 .	
Lumbar support					
Neck support	Adjustable in depth				
Clothes hanger	Black				
Armrests	,				
Functional armrest	Adjustable in height and width				
Multifunctional armrest	Adjustable in height, width and depth				
3D multifunctional armrest	Adjustable in height, width and depth, pads s	wivel			
4D Plus multifunctional armrest	Adjustable in height, extra width and depth, pads swivel				
Dimensions					
Seat height	410-550 mm / Counter chair 650-850 mm				
Seat width	500 mm				
Seat depth	Standard: 420 mm Option: 380-450 mm, with extra seat depth u	p to 480	mm		
Back width	460 mm (upholstered back) or 455 mm (mesh back)				
Back height	600-660 mm (upholstered and mesh back)				
Colours					
Back and seat shell	Black				
Backrest trim	Black, lacquered in aluminium colour, chrom	ne			
Back support	Black, aluminium-coloured				
Armrests	Black, pad always black, armrest support bla	ack /poli	ished aluminium (only for 3D multifunctional arm	nrest)	
Starbase	Various types of starbase are available: black polished or chrome finish	k plastic	or die-cast aluminium in lacquered,		
0	DI 1 (0 : 1: ·				

■ Standard □ Optional



Castors / glides







Black, 60 mm in diameter











JET.II VISITOR CHAIRS



ARMRESTS Optional

THREE FRAME TYPES

Cantilever model, four-legged model, four-legged model on castors

For carpets and hard floors

PRODUCT OVERVIEW

Frame

Cantilever model	Round steel tube, stackable (4x)	
Four-legged model	Round steel tube, stackable (5x)	

Backrest

With plastic shell	
Fully-upholstered	
Mesh back	
Back 3D fabric	

Armrests

Dimensions		
Seat height	435 mm	
Seat width	480 mm	
Seat depth	450 mm	
Back width	445 mm	

495 mm

Fixed, black plastic wrap

Back height Colours

Frame	Black/aluminium/anthracite metallic Chrome		
Glides (carpet or hard floor)	Black		
Armrests	In same colour as frame		
Shell	Black		

■ Standard □ Optional





Optional also stackable







FOUR-LEGGED MODEL ON CASTORS Only with armrests




















VALYOU



DETAILS









2 | FRAME-FITTED ARMRESTS Height adjustable to 130 mm and optionally swivelling.





Swivels through 360° - armrest is adjustable in height, width and depth.





1 | VERSATILE BACKREST

Optionally available in two mesh variants, ribbed fabric or Soft upholstery.





5 | LUMBAR SUPPORT Integral part of the backrest – encourages ergonomic sitting by providing extra support in the lumbar region.

6 | FINE ADJUSTMENT Individual adjustment for personal sitting comfort.



JUST 2 MINUTES TO SET UP -> VALYOU is supplied either ready to use or partially assembled in a transport box.







7 | STARBASE

Available in black plastic or polished aluminium - also with glides.

VALYOU PRODUCT OVERVIEW







		1000		
Technology		Task chair	Conference chair	Counter chair
Mechanism	Synchromat	•	•	•
Opening angle	21°			
Synchro ratio	1:3		•	
Weight adjustment	45 to 130 kg	•	•	
Fine adjustment of weight setting			•	
Seat height adjustment			•	
Seat depth adjustment	100 mm (NPR)			
	70 mm		_	•
Backrest lock	4 positions, backrest angle can be locked in 2 positions	•	•	•
Seat upholstery	Foam	•	•	•
Backrest				
	Mesh back with black or deep black striped mesh		•	•
	Upholstered back with self-supporting, textured fabric	•	•	
	Soft upholstery		•	
Lumbar support	Plastic, height adjustable	•	•	•
Plastic armrests				
Functional armrest attached to back	Height adjustable through 130 mm		•	•
Multifunctional armrest attached to back	Height adjustable through 130 mm, depth adjustable through 60 mm, armrest top swivels by 30°			
Multifunctional armrest 360°,	Height adjustable through 100 mm, width adjustable, armrest top swivels by 360° (clear width complies with NPR standards)			
2D armrest	Height adjustable through 100 mm, width adjustable through 45 mm			
Dimensions				
Seat height	405-550 mm / Counter chair 650-850 mm			
Seat width	450 mm			
Seat depth	380-480 mm			
Back width	530 mm			
Back height	540 mm			
Colours				
Plastic parts	Black	•	•	•
Starbase	Black		•	
	Polished aluminium			
	Chrome			

■ Standard □ Optional

















FABRICS AND COLOURS DESIGN OPTIONS











NET.WORK.PLACE Organic

Optimum conditions for a better way of working.



PUBLICA bar stoolSitting comfortably – even at a height.



ACTA.PLUS lockers
Storage options for mobile working environments.



Pedestal
For important personal documents.



ACTA.PLUS Mobile Storage, wherever it's needed.



QUICK.II Healthy support – wherever you stand.



QUIET.BOX Organic Stand-alone furniture unit for more privacy in the office.

As a leading brand for office furniture and room systems, König + Neurath develops solutions for individual work cultures

Together with specialist retailers, König + Neurath supports it customers throughout the entire process of outfitting office. With differentiated style collections, design-conscious furnitur and digital solutions, the family-owned companestablished in 1925, helps its customers to adaptive successfully to the changing nature of the workplace.

Deutschland

König + Neurath AG Büromöbel-Systeme Industriestraße 1–3 61184 Karben T +49 6039 483-0 info@koenig-neurath.de

Great Britain

K + N International (Office Systems) Ltd 52 Britton Street London EC1M 5UQ T +44 20 74909340 info@koenig-neurath.co.uk

Nederland

König + Neurath Nederland Office Furniture Beethovenstraat 530 1082 PR Amsterdam T +31 20 4109410 info@konig-neurath.nl

France

König + Neurath AG Showroom Paris 66, rue de la Victoire 75009 Paris T +33 1 44632393 info@koenig-neurath.fr

Schweiz

König + Neurath (Schweiz) GmbH Büromöbel-Systeme St. Gallerstrasse 106 d CH–9032 Engelburg / St. Gallen T +41 52 7702242 info@koenig-neurath.de

koenig-neurath.com KN-05.19/KP/2/0,5/0/0